

Certificate of Analysis

Add: No.6 Anmin Road, Huangdai Town, Xiangcheng District of Suzhou

TEL: +86-0512-88185558 Fax: +86-0512-88189558-806 Email: lsren@runxinbio.cn

The product name		Alginate Oligosaccharide	
Batch No.	250914N	Manufacturing Date	2025.09.06
Product Model	RY-AOS	Guarantee Period	2027.09.05
The items and results of Inspection			
No.	Test Items (检测项目)	Standard (标准)	Result (检测值)
1	Appearance (外观)	Light gray to pale yellow powder (灰白至浅黄色粉末)	Pass (合格)
2	Moisture (气味)	No unusual odor (无异味)	Pass (合格)
3	Moisture (水分)	≤10.0%	6.8%
4	1% aqueous solution pH (1%水溶液 pH)	5.5-8.5	6.2
5	Contents (含量, 干基计)	≥80%	85.50%
6	Particle size (粒度)	All pass through a 1.0mm analytical sieve, with ≤15% retained on the 0.59mm analytical sieve. 全部通过 1.0mm 分析筛, 0.59mm 分析筛筛上物 ≤15%	Pass (合格)
Decide (裁决)		Standard (合格): ☒ Substandard (不合格): ☐	
Deal (处理)		Storeroom (入库): ☒ Destory (销毁): ☐	
Manager of Department (部门主管): 		Operator (品管员):  	